






School, Liverpool | Stuart Buff and glazed brick in various colours




## the buff range

Glazed bricks contrast well against the clean sharp lines of the main buff brick on the new Gateacre and Hope Schools complex in Bellvale, Liverpool.

The Stuart Buff brick provided a consistent light background colour with a slightly textured drag face. This was used to contrast the smooth sharp glazed bricks that, with the linear ribbon windows, create a bold geometric pattern on the elevations.

Mark Braund of BDP Architects comments:  
“The Stuart Buff brick forms the main cladding material, unifying the two co-located schools housed in individual buildings and separate sports facility into one campus. The bands of coloured bricks use the individual branded colour as a landmark at main entrances to start and end a spectrum that runs around the elevations, creating individuality and a cohesive identity.”





Tonbridge Handmade Pastone ▲

4044

### Bespoke Blends

It is now possible to create your own blend from existing Ashdown, Birtley, Chailey, Laybrook, Leicester, Swanage and West Hoathly products.

If you have a specific requirement involving stock bricks that our standard range of products does not meet, Ibstock now offers a brick blending service with no blending on site necessary. This is ideal for matching existing brickwork, blending with adjacent buildings or creating your own bespoke blend. For more information contact your local sales office.



College Buildings, Clane, Co Kildare | Tonbridge Handmade Pastone



Marlborough Stock

3016



Bradgate Golden Purple

0023



Bradgate Harvest Antique

0028



Bradgate Harvest Blend

0027



Bradgate Light Buff

0025



Bradgate Multi Cream

0030



Grosvenor® Buff Multi

0177



Grosvenor® Gold

0179




Ivanhoe Athena Blend

0061

	Durability BS EN771-1	Active Soluble Salts BS EN771-1	Compressive Strength (≥ N/mm <sup>2</sup> ) BS EN771-1	Water Absorption (≤%) BS EN771-1	Size Tolerances Mean & Range BS EN771-1	Configuration and % Voids	Type & Texture	Special Shaped Bricks	Factory and Location	Product Code
Tonbridge Handmade Pastone	F2	S2	30	15	T1 R1	Single Frog 6-11	Handmade Sandcreased	All shapes available	Ashdown, East Sussex	4044
Marlborough Stock	F2	S2	15	13	T2 R1	Single Frog 7-12	Stock Sandfaced	All shapes available	Parkhouse, Newcastle-under-Lyme	3016
Bradgate Golden Purple	F2	S2	20	20	T2 R1	Single Frog 8-13	Stock Sandcreased	All shapes available	Leicester, Leicestershire	0023
Bradgate Harvest Antique	F2	S2	20	20	T2 R1	Single Frog 8-13	Stock Sandcreased	All shapes available	Leicester, Leicestershire	0028
Bradgate Harvest Blend	F2	S2	20	20	T2 R1	Single Frog 8-13	Stock Sandcreased	All shapes available	Leicester, Leicestershire	0027
Bradgate Light Buff	F2	S2	15	25	T2 R1	Single Frog 8-13	Stock Sandcreased	All shapes available	Leicester, Leicestershire	0025
Bradgate Multi Cream	F2	S2	15	25	T2 R1	Single Frog 8-13	Stock Sandcreased	All shapes available	Leicester, Leicestershire	0030
Grosvenor® Buff Multi	F2	S2	20	20	T2 R1	Single Frog 8-13	Stock Sandcreased	All shapes available	Leicester, Leicestershire	0177
Grosvenor® Gold	F2	S2	20	20	T2 R1	Single Frog 8-13	Stock Sandcreased	All shapes available	Leicester, Leicestershire	0179
Ivanhoe Athena Blend	F2	S2	20	20	T2 R1	Single Frog 8-13	Stock Sandcreased	All shapes available	Leicester, Leicestershire	0061





Ivanhoe Cream

0054



Leicester Buff Stock

0197



Breckland Autumn Stock

4945



Leicester Multi Cream Stock

4943



Private Housing, Cambridge | Leicester Multi Cream Stock



Leicester Multi Yellow Stock

4944



London Yellow Multi Stock

0070



Special White ★

5103



Arundel Yellow Multi Stock

0713



Laybrook Multi Cream Stock

0768




Private Housing, Sixfields, Northampton | Ivanhoe Cream

	Durability BS EN771-1		Active Soluble Salts BS EN771-1		Compressive Strength (≥ N/mm²) BS EN771-1		Water Absorption (≤%) BS EN771-1		Size Tolerances Mean & Range BS EN771-1		Configuration and % Voids		Type & Texture		Special Shaped Bricks		Factory and Location		Product Code	
Ivanhoe Cream	F2	S2	15	25	T2	R1	Single Frog	8-13	Stock Sandcreased	All shapes available	Leicester, Leicestershire	0054								
Leicester Buff Stock	F2	S2	15	25	T2	R1	Single Frog	8-13	Stock Sandfaced	All shapes available	Leicester, Leicestershire	0197								
Breckland Autumn Stock	F2	S2	20	20	T2	R1	Single Frog	8-13	Stock Sandfaced	All shapes available	Ellistown, Leicestershire	4945								
Leicester Multi Cream Stock	F2	S2	20	22	T2	R1	Single Frog	8-13	Stock Sandfaced	All shapes available	Ellistown, Leicestershire	4943								
Leicester Multi Yellow Stock	F2	S2	20	20	T2	R1	Single Frog	8-13	Stock Sandfaced	All shapes available	Ellistown, Leicestershire	4944								
London Yellow Multi Stock	F2	S2	20	20	T2	R1	Single Frog	8-13	Stock Sandcreased	All shapes available	Leicester, Leicestershire	0070								
Special White	F2	S2	50	7	T1	R1	Single Frog	4-9	Stock Sandcreased	Limited shapes available	Buggenham, Holland	5103								
Arundel Yellow Multi Stock	F2	S2	25	14	Tm	Rm	Single Frog	8-13	Stock Sandfaced	All shapes available	Laybrook, West Sussex	0713								
Laybrook Multi Cream Stock	F2	S2	25	19	Tm	Rm	Single Frog	8-13	Stock Sandfaced	All shapes available	Laybrook, West Sussex	0768								

The technical data was correct at the time of going to press.

Please call the Istock Design & Technical Helpline on 0844 800 4576 or visit [www.istock.com](http://www.istock.com) for the latest information.





Queensbury Yellow Multi

0764



Sevenoaks Yellow Stock

0730



Mixed Development, London SE1 | Funtun Old Chelsea Yellow



Cooksbridge Yellow Clamp Stock ▲

4512



Breughel Buff Multi

4026



Coleridge Yellow Multi

4027



| stock



Funton Old Chelsea Yellow ◆

4053



Funton Orchard Mixture ◆

4051



Funton Second Hard Stock ◆

4050



Imperial Salvage Stock

4054

## Bespoke Blends

It is now possible to create your own blend from existing Ashdown, Birtley, Chailey, Laybrook, Leicester, Swanage and West Hoathly products.

If you have a specific requirement involving stock bricks that our standard range of products does not meet, Ibstock now offers a brick blending service with no blending on site necessary. This is ideal for matching existing brickwork, blending with adjacent buildings or creating your own bespoke blend. For more information contact your local sales office.



London Reclaim Mixture ◆

4052


	Durability BS EN771-1		Active Soluble Salts BS EN771-1		Compressive Strength (≥ N/mm²) BS EN771-1		Water Absorption (≤%) BS EN771-1		Size Tolerances Mean & Range BS EN771-1		Configuration and % Voids		Type & Texture		Special Shaped Bricks		Factory and Location		Product Code	
Queensbury Yellow Multi	F2	S2	25	14	Tm	Rm	Single Frog	8-13	Stock Sandfaced	All shapes available	Laybrook, West Sussex	0764								
Sevenoaks Yellow Stock	F2	S2	25	19	Tm	Rm	Single Frog	8-13	Stock Sandfaced	All shapes available	Laybrook, West Sussex	0730								
Cooksbridge Yellow Clamp Stock	F2	S2	21	12	T1	R1	Single Frog	5-10	Stock Sandfaced	All shapes available	Chailey, East Sussex	4512								
Breughel Buff Multi	F2	S2	30	15	T1	R1	Single Frog	6-11	Stock Sandfaced	All shapes available	Ashdown, East Sussex	4026								
Coleridge Yellow Multi	F2	S2	30	15	T1	R1	Single Frog	6-11	Stock Sandfaced	All shapes available	Ashdown, East Sussex	4027								
Funton Old Chelsea Yellow	F2	S2	12	21	Tm	Rm	Single Frog	6-11	Stock Sandfaced	All shapes available	Ashdown, East Sussex	4053								
Funton Orchard Mixture	F2	S2	12	21	Tm	Rm	Single Frog	6-11	Stock Sandfaced	Limited shapes available	Ashdown, East Sussex	4051								
Funton Second Hard Stock	F2	S2	12	21	Tm	Rm	Single Frog	6-11	Stock Sandfaced	All shapes available	Ashdown, East Sussex	4050								
Imperial Salvage Stock	F2	S2	12	21	Tm	Rm	Single Frog	6-11	Stock Sandfaced	Limited shapes available	Ashdown, East Sussex	4054								
London Reclaim Mixture	F2	S2	12	21	Tm	Rm	Single Frog	6-11	Stock Sandfaced	Limited shapes available	Ashdown, East Sussex	4052								

The technical data was correct at the time of going to press.

Please call the Ibstock Design & Technical Helpline on 0844 800 4576 or visit [www.ibstock.com](http://www.ibstock.com) for the latest information.

◆ also available in Imperial (228 x 110 x 68mm) format





Medical Centre, Streatham, London SW16 | Millhouse Blend



Birtley Olde English Buff ●

2605



Millhouse Blend ●

2630



Northern Buff ●

2618

● also available in 73mm



Alpine White

2780



Grainger Gold

2771



Hadrian Buff

2708



Milburn Buff Multi

2774




Mixed Buff Rustic

2760

	Durability BS EN771-1		Active Soluble Salts BS EN771-1		Compressive Strength (≥ Nmm²) BS EN771-1		Water Absorption (≤%) BS EN771-1		Size Tolerances Mean & Range BS EN771-1		Configuration and % Voids		Type & Texture		Special Shaped Bricks		Factory and Location		Product Code
Birtley Olde English Buff	F2	S2	20	12	Tm	Rm	Solid	0	Waterstruck Distressed	All shapes available	Birtley, Durham	2605							
Millhouse Blend	F2	S2	20	12	Tm	Rm	Solid	0	Waterstruck Distressed	All shapes available	Birtley, Durham	2630							
Northern Buff	F2	S2	20	12	Tm	Rm	Solid	0	Waterstruck Distressed	All shapes available	Birtley, Durham	2618							
Alpine White	F2	S2	50	9	T2	R1	Vertically Perforated 23-28	Wirecut Sandfaced	Limited shapes available	Throckley, Newcastle-upon-Tyne	2780								
Grainger Gold	F2	S2	60	9	T2	R1	Vertically Perforated 23-28	Wirecut Rolled	Limited shapes available	Throckley, Newcastle-upon-Tyne	2771								
Hadrian Buff	F2	S2	60	9	T2	R1	Vertically Perforated 23-28	Wirecut Rolled	All shapes available	Throckley, Newcastle-upon-Tyne	2708								
Milburn Buff Multi	F2	S2	60	9	T2	R1	Vertically Perforated 23-28	Wirecut Rolled	Limited shapes available	Throckley, Newcastle-upon-Tyne	2774								
Mixed Buff Rustic	F2	S2	60	9	T2	R1	Vertically Perforated 23-28	Wirecut Rusticated	Limited shapes available	Throckley, Newcastle-upon-Tyne	2760								



buffs | wirecut



Oatmeal Textured

2715



Sandalwood

2731



Smooth Buff

2712



Office Development, Wallsend, Tyne & Wear | Smooth Buff



Smooth Pearl White

2782



Straw Thatch Rustic

2717

Throckley

Nostell

| wirecut



Stuart Buff

2738



School, Bellvale, Liverpool | Stuart Buff with various Glazed Bricks



Argyll Antique Blend

0520



Argyll Buff Multi Rustic

0537



Argyll Buff Wirecut


0539

	Durability BS EN771-1	Active Soluble Salts BS EN771-1	Compressive Strength ( $\geq$ N/mm <sup>2</sup> ) BS EN771-1	Water Absorption ( $\leq$ %) BS EN771-1	Size Tolerances Mean & Range BS EN771-1	Configuration and % Voids	Type & Texture	Special Shaped Bricks	Factory and Location	Product Code
Oatmeal Textured	F2	S2	60	9	T2 R1	Vertically Perforated 23-28	Wirecut Dragfaced	All shapes available	Throckley, Newcastle-upon-Tyne	2715
Sandalwood	F2	S2	60	9	T2 R1	Vertically Perforated 23-28	Wirecut Dragfaced	All shapes available	Throckley, Newcastle-upon-Tyne	2731
Smooth Buff	F2	S2	60	9	T2 R1	Vertically Perforated 23-28	Wirecut Smooth	All shapes available	Throckley, Newcastle-upon-Tyne	2712
Smooth Pearl White	F2	S2	50	9	T2 R1	Vertically Perforated 23-28	Wirecut Smooth	Limited shapes available	Throckley, Newcastle-upon-Tyne	2782
Straw Thatch Rustic	F2	S2	60	9	T2 R1	Vertically Perforated 23-28	Wirecut Rusticated	All shapes available	Throckley, Newcastle-upon-Tyne	2717
Stuart Buff	F2	S2	60	9	T2 R1	Vertically Perforated 23-28	Wirecut Dragfaced	All shapes available	Throckley, Newcastle-upon-Tyne	2738
Argyll Antique Blend	F2	S2	60	8	T2 R1	Vertically Perforated 20-25	Wirecut Rolled	Limited shapes available	Nostell, Wakefield	0520
Argyll Buff Multi Rustic	F2	S2	60	8	T2 R1	Vertically Perforated 20-25	Wirecut Rusticated	Limited shapes available	Nostell, Wakefield	0537
Argyll Buff Wirecut	F2	S2	60	8	T2 R1	Vertically Perforated 20-25	Wirecut Dragfaced	All shapes available	Nostell, Wakefield	0539

The technical data was correct at the time of going to press.

Please call the Ibstock Design & Technical Helpline on 0844 800 4576 or visit [www.ibstock.com](http://www.ibstock.com) for the latest information.





Social Housing, Peckham, London SE15 | Royston Cream



Argyll Russet Multi

0522



Bretton Buff Rustic

0545



Harewood Albany

0570



Harewood Russet Buff

0565



Harewood Sandal Rustic

0568



Melton Buff Multi

0535



Priory Buff Multi

0587



Royston Cream

0519



Royston Golden Buff

0517



Offices, Glasgow | Royston Golden Buff


	Durability BS EN771-1		Active Soluble Salts BS EN771-1		Compressive Strength (≥ N/mm²) BS EN771-1		Water Absorption (≤%) BS EN771-1		Size Tolerances Mean & Range BS EN771-1		Configuration and % Voids		Type & Texture		Special Shaped Bricks		Factory and Location		Product Code	
Argyll Russet Multi	F2	S2	60	8	T2	R1	Vertically Perforated	20-25	Wirecut Dragfaced	Limited shapes available	Nostell, Wakefield	0522								
Bretton Buff Rustic	F2	S2	60	8	T2	R1	Vertically Perforated	20-25	Wirecut Rusticated	Limited shapes available	Nostell, Wakefield	0545								
Harewood Albany	F2	S2	60	8	T2	R1	Vertically Perforated	20-25	Wirecut Rusticated	Limited shapes available	Nostell, Wakefield	0570								
Harewood Russet Buff	F2	S2	60	8	T2	R1	Vertically Perforated	20-25	Wirecut Dragfaced	All shapes available	Nostell, Wakefield	0565								
Harewood Sandal Rustic	F2	S2	60	8	T2	R1	Vertically Perforated	20-25	Wirecut Rusticated	Limited shapes available	Nostell, Wakefield	0568								
Melton Buff Multi	F2	S2	60	8	T2	R1	Vertically Perforated	20-25	Wirecut Rusticated	Limited shapes available	Nostell, Wakefield	0535								
Priory Buff Multi	F2	S2	60	8	T2	R1	Vertically Perforated	20-25	Wirecut Smooth	All shapes available	Nostell, Wakefield	0587								
Royston Cream	F2	S2	60	8	T2	R1	Vertically Perforated	20-25	Wirecut Dragfaced	All shapes available	Nostell, Wakefield	0519								
Royston Golden Buff	F2	S2	60	8	T2	R1	Vertically Perforated	20-25	Wirecut Dragfaced	All shapes available	Nostell, Wakefield	0517								

The technical data was correct at the time of going to press.

Please call the Ibstock Design & Technical Helpline on 0844 800 4576 or visit [www.ibstock.com](http://www.ibstock.com) for the latest information.



buffs | wirecut



Apartments, Horbury, Wakefield, West Yorkshire | Clipstone Amber



Calderstone Gold

3597



Dalton Buff Multi

3549



Trafford Multi Rustic ●

3576

● also available in 73mm

Ravenhead

Dorket Head

| wirecut



Ashbourne Mixture

2465



Cavendish Dorket Honeygold

2434



Clipstone Amber

2416



Lenton Cream Multi

2457



Lenton Golden Russet


2458

	Durability BS EN771-1		Active Soluble Salts BS EN771-1	Compressive Strength ( $\geq$ N/mm <sup>2</sup> ) BS EN771-1	Water Absorption ( $\leq$ %) BS EN771-1	Size Tolerances Mean & Range BS EN771-1	Configuration and % Voids	Type & Texture	Special Shaped Bricks	Factory and Location	Product Code
Calderstone Gold	F2	S2	50	12	T2	R1	Vertically Perforated 18-23	Wirecut Rolled	Limited shapes available	Ravenhead, Lancashire	3597
Dalton Buff Multi	F2	S2	50	12	T2	R1	Vertically Perforated 18-23	Wirecut Rusticated	Limited shapes available	Ravenhead, Lancashire	3549
Trafford Multi Rustic	F2	S2	50	12	T2	R1	Vertically Perforated 18-23	Wirecut Dragfaced	Limited shapes available	Ravenhead, Lancashire	3576
Ashbourne Mixture	F2	S2	40	16	T2	R1	Vertically Perforated 20-25	Wirecut Rolled	Limited shapes available	Dorket Head, Nottingham	2465
Cavendish Dorket Honeygold	F1	S2	40	16	T2	R1	Vertically Perforated 20-25	Wirecut Rusticated	Limited shapes available	Dorket Head, Nottingham	2434
Clipstone Amber	F2	S2	40	16	T2	R1	Vertically Perforated 20-25	Wirecut Rolled	Limited shapes available	Dorket Head, Nottingham	2416
Lenton Cream Multi	F2	S2	40	16	T2	R1	Vertically Perforated 20-25	Wirecut Rolled	Limited shapes available	Dorket Head, Nottingham	2457
Lenton Golden Russet	F2	S2	40	16	T2	R1	Vertically Perforated 20-25	Wirecut Rolled	Limited shapes available	Dorket Head, Nottingham	2458

The technical data was correct at the time of going to press.

Please call the Ibstock Design & Technical Helpline on 0844 800 4576 or visit [www.ibstock.com](http://www.ibstock.com) for the latest information.





Private Housing, Cheltenham, Gloucestershire | Minster Cottage Gold



Minster Beckstone Mixture

2428



Minster Cottage Gold

2429



Minster Cream Blend

2419



Minster Rainworth Blend

2422



Minster Sandstone Mixture


2418



Apartments, Cambridge | Minster Cream Blend

	Durability BS EN771-1		Active Soluble Salts BS EN771-1	Compressive Strength (≥ N/mm²) BS EN771-1		Water Absorption (≤%) BS EN771-1		Size Tolerances Mean & Range BS EN771-1		Configuration and % Voids	Type & Texture		Special Shaped Bricks	Factory and Location		Product Code
	F2	S2	40	16	T2	R1	Vertically Perforated	20-25	Wirecut Rolled		Limited shapes available	Dorket Head, Nottingham		2428		
Minster Beckstone Mixture	F2	S2	40	16	T2	R1	Vertically Perforated	20-25	Wirecut Rolled	Limited shapes available	Dorket Head, Nottingham	2428				
Minster Cottage Gold	F2	S2	40	16	T2	R1	Vertically Perforated	20-25	Wirecut Rolled	Limited shapes available	Dorket Head, Nottingham	2429				
Minster Cream Blend	F2	S2	40	16	T2	R1	Vertically Perforated	20-25	Wirecut Rolled	Limited shapes available	Dorket Head, Nottingham	2419				
Minster Rainworth Blend	F2	S2	40	16	T2	R1	Vertically Perforated	20-25	Wirecut Rolled	Limited shapes available	Dorket Head, Nottingham	2422				
Minster Sandstone Mixture	F2	S2	40	16	T2	R1	Vertically Perforated	20-25	Wirecut Rolled	Limited shapes available	Dorket Head, Nottingham	2418				





Social Housing, Sallins, Co Kildare | Vitessa White



Oakham Buff Multi

2455




Oxton Gold Multi

2464



Oyster White ★

5110



Vitessa White ★

5101

★ Available in a range of size formats

Dorset Head  
Atlas Aldridge

| wirecut



Anglian Beacon Sahara ●

0258



Anglian Buff Multi Rustic ●

0353



Golden Brown Sandfaced 73mm ●

0279



Himley Dulwich Weathered Yellow

0318



Mercia Gold

0311



Tradesman Golden Buff Multi

0304

	Durability BS EN771-1		Active Soluble Salts BS EN771-1		Compressive Strength (≥ N/mm²) BS EN771-1		Water Absorption (≤%) BS EN771-1		Size Tolerances Mean & Range BS EN771-1		Configuration and % Voids		Type & Texture		Special Shaped Bricks		Factory and Location		Product Code	
Oakham Buff Multi	F2	S2	40	16	T2	R1	Vertically Perforated	20-25	Wirecut Rolled	Limited shapes available	Dorket Head, Nottingham								2455	
Oxton Gold Multi	F2	S2	40	16	T2	R1	Vertically Perforated	20-25	Wirecut Rolled	Limited shapes available	Dorket Head, Nottingham								2464	
Oyster White	F2	S2	75	2	T1	R2	Vertically Perforated	18-23	Wirecut Smooth	Limited shapes available	Wessum, Holland								5110	
Vitessa White	F2	S2	75	2	T1	R2	Vertically Perforated	18-23	Wirecut Sandfaced	Limited shapes available	Wessum, Holland								5101	
Anglian Beacon Sahara	F2	S2	45	12	T2	R1	Vertically Perforated	23-28	Wirecut Rusticated	All shapes available	Aldridge, West Midlands								0258	
Anglian Buff Multi Rustic	F2	S2	45	12	T2	R1	Vertically Perforated	23-28	Wirecut Rusticated	All shapes available	Aldridge, West Midlands								0353	
Golden Brown Sandfaced 73mm	F2	S2	55	12	T2	R1	Vertically Perforated	23-28	Wirecut Sandfaced	All shapes available	Aldridge, West Midlands								0279	
Himley Dulwich Weathered Yellow	F2	S2	50	9	T2	R1	Vertically Perforated	22-27	Wirecut Rolled	All shapes available	Atlas, Walsall								0318	
Mercia Gold	F2	S2	50	9	T2	R1	Vertically Perforated	22-27	Wirecut Rolled	Limited shapes available	Atlas, Walsall								0311	
Tradesman Golden Buff	F2	S2	65	9	T2	R1	Vertically Perforated	22-27	Wirecut Sandfaced	Limited shapes available	Atlas, Walsall								0304	

The technical data was correct at the time of going to press.


Please call the Ibstock Design & Technical Helpline on 0844 800 4576 or visit [www.ibstock.com](http://www.ibstock.com) for the latest information.

● also available in 73mm

● also available in 65mm



buffs | wirecut



Coughton Buff Blend **NEW**

3742



Earlswood Textured Buff

0100



Pennine Pastone Buff Rustic **NEW**

3708



School, Bradley Stoke, Bristol | Earlswood Textured Buff

Atlas  
Stourbridge  
Cattybrook

| wirecut



Commercial Development, Guildford, Surrey | Warwick Textured Multi Buff



Warwick Textured Multi Buff

3715




Bristol Buff Multi

0657

	Durability BS EN771-1		Active Soluble Salts BS EN771-1		Compressive Strength (≥ N/mm <sup>2</sup> ) BS EN771-1		Water Absorption (≤%) BS EN771-1		Size Tolerances Mean & Range BS EN771-1		Configuration and % Voids		Type & Texture		Special Shaped Bricks		Factory and Location		Product Code	
Coughton Buff Blend	F2	S2	65	9	T2	R1	Vertically Perforated	20-25	Wirecut Rolled	Limited shapes available	Stourbridge, West Midlands		3742							
Earlwood Textured Buff	F2	S2	50	6	T2	R1	Vertically Perforated	22-27	Wirecut Dragfaced	All shapes available	Atlas, Walsall		0100							
Pennine Pastone Buff Rustic	F2	S2	65	9	T2	R1	Vertically Perforated	20-25	Wirecut Rusticated	Limited shapes available	Stourbridge, West Midlands		3708							
Warwick Textured Multi Buff	F2	S2	65	9	T2	R1	Vertically Perforated	20-25	Wirecut Dragfaced	All shapes available	Stourbridge, West Midlands		3715							
Bristol Buff Multi	F2	S2	50	10	T2	R1	Vertically Perforated	23-38	Wirecut Dragfaced	All shapes available	Cattybrook, Bristol		0657							



buffs | wirecut



Hospital, Reading, Berkshire | Brunswick Wilton Yellow



Bristol Gold

0634



Brunswick Autumn

0638



Brunswick Buff

0640



Private House, Oxford | Brunswick Buff



Brunswick Cream

0645




Brunswick Wilton Yellow

0643

	Durability BS EN771-1		Active Soluble Salts BS EN771-1		Compressive Strength (≥ N/mm²) BS EN771-1		Water Absorption (%) BS EN771-1		Size Tolerances Mean & Range BS EN771-1		Configuration and % Voids		Type & Texture		Special Shaped Bricks		Factory and Location		Product Code	
Bristol Gold	F2	S2	50	12	T2	R1	Vertically Perforated	18-23	Wirecut Dragfaced	All shapes available	Cattybrook, Bristol	0634								
Brunswick Autumn	F2	S2	50	12	T2	R1	Vertically Perforated	23-28	Wirecut Rolled	All shapes available	Cattybrook, Bristol	0638								
Brunswick Buff	F2	S2	50	12	T2	R1	Vertically Perforated	23-28	Wirecut Rolled	All shapes available	Cattybrook, Bristol	0640								
Brunswick Cream	F2	S2	50	12	T2	R1	Vertically Perforated	23-28	Wirecut Rolled	All shapes available	Cattybrook, Bristol	0645								
Brunswick Wilton Yellow	F2	S2	50	12	T2	R1	Vertically Perforated	23-28	Wirecut Rolled	All shapes available	Cattybrook, Bristol	0643								

The technical data was correct at the time of going to press.  
Please call the Ibstock Design & Technical Helpline on **0844 800 4576** or visit **www.ibstock.com** for the latest information.





Office Development, Birkenhead, Merseyside | Lansdown Multi Gold



Cheddar Golden

0611



Lansdown Multi Gold

0627



Severn Buff

0648



| wirecut



Surrey Cream Multi

4138



Offices, Milton Keynes, Buckinghamshire | Cheddar Golden



Surrey Antique Cream

4139



Surrey Buff Multi

4134



Surrey Yellow Multi

4156

	Durability BS EN771-1		Active Soluble Salts BS EN771-1		Compressive Strength (≥ N/mm²) BS EN771-1		Water Absorption (≤%) BS EN771-1		Size Tolerances Mean & Range BS EN771-1		Configuration and % Voids		Type & Texture		Special Shaped Bricks		Factory and Location		Product Code	
Cheddar Golden	F2	S2	50	12	T2	R1	Vertically Perforated	18-23	Wirecut Smooth	All shapes available	Cattybrook, Bristol	0611								
Lansdown Multi Gold	F2	S2	50	12	T2	R1	Vertically Perforated	23-28	Wirecut Dragfaced	All shapes available	Cattybrook, Bristol	0627								
Severn Buff	F2	S2	50	12	T2	R1	Vertically Perforated	23-28	Wirecut Rolled	All shapes available	Cattybrook, Bristol	0648								
Surrey Antique Cream	F2	S2	40	20	T2	R1	Vertically Perforated	24-29	Wirecut Rolled	All shapes available	South Holmwood, Surrey	4139								
Surrey Buff Multi	F2	S2	40	20	T2	R1	Vertically Perforated	24-29	Wirecut Rolled	All shapes available	South Holmwood, Surrey	4134								
Surrey Cream Multi	F2	S2	40	20	T2	R1	Vertically Perforated	24-29	Wirecut Rolled	All shapes available	South Holmwood, Surrey	4138								
Surrey Yellow Multi	F2	S2	40	20	T2	R1	Vertically Perforated	24-29	Wirecut Rolled	All shapes available	South Holmwood, Surrey	4156								

The technical data was correct at the time of going to press.

Please call the Ibstock Design & Technical Helpline on **0844 800 4576** or visit **www.ibstock.com** for the latest information.